

VELCRO® brand

Knits



WIDE KNIT LOOPS FOR MEDICAL, APPAREL, ABRASIVES, AND INDUSTRIAL APPLICATIONS



VELCRO® Brand
Knits

WIDE KNIT LOOPS FOR MEDICAL, APPAREL, ABRASIVES, AND INDUSTRIAL APPLICATIONS

VELCRO® Brand knits have been designed for use in a wide range of applications from disposable products to high strength fabricated straps. Our entire line of knit loops can be slit to nearly any width, die-cut into shapes, and is available in custom colors (dye lot minimums apply) to perfectly match your product. Our knits are compatible with many VELCRO® Brand woven and plastic hooks.



Applications



Knit Loop Fasteners

Loop 3001


Product Range

- Maximum width: 54"
- Standard colors: black, white
- Standard put-up: 100 yard rolls
- Other options: slit widths and custom colors available

*Tested with VELCRO® Brand Hook 88

Performance*

- Construction: 100% nylon circular knit
- Average peel: 1.2 PIW
- Average shear: 14.0 PSI
- Cycle life: Medium-high



Loop 3003


Product Range

- Maximum width: 57"
- Standard colors: black, white
- Standard put-up: 100 yard rolls
- Other options: slit widths and custom colors available

*Tested with VELCRO® Brand Hook 88

Performance*

- Construction: 100% nylon circular knit
- Average peel: 0.35 PIW
- Average shear: 7.5 PSI
- Cycle life: Medium



Loop 3610


Product Range

- Maximum width: 50"
- Standard colors: black, white
- Standard put-up: 100 yard rolls
- Other options: slit widths and custom colors available

*Tested with VELCRO® Brand Hook 65

Performance*

- Construction: 100% nylon warp knit
- Average peel: 0.3 PIW
- Average shear: 5.0 PSI
- Cycle life: Low-medium



Loop 3368

Product Range

- Maximum width: 60"
- Standard colors: black, white
- Standard put-ups: 100 yard rolls
- Other options: slit widths and custom colors available

*Tested with VELCRO® Brand Hook 88

Performance*

- Construction: 100% nylon warp knit
- Average peel: 0.35 PIW
- Average shear: 7.0 PSI
- Cycle life: Low-medium



Loop 3905

Product Range

- Maximum width: 58"
- Standard colors: black, white
- Standard put-ups: 100 yard rolls
- Other options: slit widths and custom colors available

*Tested with VELCRO® Brand Hook 65

Performance*

- Construction: 100% nylon warp knit
- Average peel: 0.5 PIW
- Average shear: 7.5 PSI
- Cycle life: Low



Loop 3707


Product Range

- Maximum width: 60"
- Standard colors: white
- Standard put-ups: 500 yard rolls
- Other options: slit widths and custom colors available

*Tested with VELCRO® Brand Hook 805

Performance*

- Construction: Nylon/polyester warp knit
- Average peel: 1.0 PIW
- Average shear: 37.0 PSI
- Cycle life: Low



Loop 3200

Product Range

- Maximum width: 54"
- Standard colors: white
- Standard put-up: 100 yard rolls
- Other options: slit widths available

*Tested with VELCRO® Brand Hook 711

Performance*

- Construction: 100% polyester warp knit
- Average peel: 0.4 PIW
- Average shear: 15.0 PSI
- Cycle life: Low



Ask us about the VELCRO® Brand solutions for...

Medical & Orthopedics

- VELCRO® Brand EVAPEX™ Fabric
- VELCRO® Brand Double-Faced Loops
- VELCRO® Brand Laminates

Military & Tactical

- VELCRO® Brand Military Fasteners
- VELCRO® Brand Woven Fasteners

Abrasives

- VELCRO® Brand High Technology Hooks





ISO 9001
QMI-SAI Global

THE VELCRO COMPANIES ARE WORLDWIDE LEADERS IN FASTENING SYSTEMS OFFERING A WIDE RANGE OF SOLUTIONS FROM STANDARD HOOK AND LOOP TO COMPLETE FINISHED PRODUCTS.

50 YEARS OF EXPERIENCE: WE ARE PROUD OF OUR HERITAGE IN INNOVATION, HAVING OVER 300 ACTIVE PATENTS TO OFFER BETTER SOLUTIONS TO SATISFY OUR CUSTOMERS' NEEDS.



TS 16949
QMI-SAI Global



North American Headquarters

United States

Velcro USA Inc.
406 Brown Avenue
Manchester, NH 03103
Tel: (800) 225 0180
Fax: (800) 835 2761
marketing@velcro.com
www.velcro.com

Canada

Velcro Canada Inc.
114 East Drive
Brampton, Ontario
Canada L6T 1C1
Tel: (905) 791 1630
Fax: (905) 791 5329
canada@velcro.com
www.velcro.ca

Mexico

Velcro de Mexico, S.A. de C.V.
Ave. Industria No. 102 Nave IV-A
Col. Los Reyes Pueblo
Tlalnepantla de Baz
Edo. De Mexico C.P. 54090
Tel: (+52) 55 5005 3300
Fax: (+52) 55 5384 5413
ventasmx@velcro.com
www.velcrodemexico.com

WORLDWIDE LOCATIONS

